ELSEVIER

European Journal of Pharmacology 252 (1994) 353–356

ejp

Author index

Abrahams, Z. and Sutter, M.C.
Effects of K^+ channel openers on the vascular actions of human gamma globulin (252) 195
Akera, T., see Temma, K. (252) 173
Akihito, C., see Temma, K. (252) 173
Alfaro, M.J., see Colado, M.I. (252) 291
Allgaier, C., Pullmann, F., Schobert, A., Von Kügelgen, I. and Hertting, G.
P_2 purinoceptors modulating noradrenaline release from sympathetic neurons in culture (252) R7
Andius, P., see Arakawa, H. (252) 313
Arakawa, H., Andius, P., Kawikova, I., Skoogh, B.-E., Löfdahl, C.-G. and Lötvall, J.
Treatment with cyclosporin A during sensitization with trimellitic anhydride attenuates the airway responses to allergen challenge three weeks later (252) 313

Bachernegg, M., see Stark, G. (252) 283
Balfagón, G., see Ferrer, M. (252) 233
Bardo, M.T., see Crawford, C.A. (252) 225
Basile, A.S., DeCosta, B. and Paul, I.A.
Multiple [^{3}H]DTG binding sites in guinea pig cerebellum: evidence for the presence of non-specific binding (252) 139
Battistini, B., Warner, T.D., Fournier, A. and Vane, J.R.
Comparison of PD 145065 and Ro 46-2005 as antagonists of contractions of guinea-pig airways induced by endothelin-1 or IRL 1620 (252) 341
Bayley, P., see Dawson, G.R. (252) 325
Benoit, P.A., see Constantine, J.W. (252) 275
Bernardi, M., see Genedani, S. (252) 77
Bertolini, A., see Genedani, S. (252) 77
Bletz, C., see Strauss, J.D. (252) 219
Bonanno, G., Vallebuona, F., Donadini, F., Fontana, G., Fedele, E. and Raiteri, M.
Heterocarrier-mediated reciprocal modulation of glutamate and glycine release in rat cerebral cortex and spinal cord synaptosomes (252) 61
Brooks, R., see Poucher, S.M. (252) 19
Browning, J.L., see Cirino, G. (252) 147

Cappai, F., see Devoto, P. (252) 321
Chao, A.C., see Mochizuki, H. (252) 183
Chen, C.-C., see Yu, S.-M. (252) 29
Chen, J., see Yu, S.-M. (252) 29
Chen, K., Hernandez, Y.M., Dretchen, K.L. and Gillis, R.A.
Intravenous NBQX inhibits spontaneously occurring sympathetic nerve activity and reduces blood pressure in cats (252) 155
Chen, S.-C., see Yu, S.-M. (252) 29
Chueh, S.-C., see Yu, S.-M. (252) 29
Ciabattoni, G., see Montuschi, P. (252) 253
Cicala, C., see Cirino, G. (252) 147
Cirino, G., Cicala, C., Sorrentino, R., Sorrentino, L., Browning, J.L. and Page, C.P.
Human recombinant phospholipase A_2 inhibits platelet aggregation in vitro and in vivo in rat and guinea pig (252) 147
Colado, M.I., Ormazabal, M.J., Goicoechea, C., Lopez, F., Alfaro, M.J. and Martin, M.I.
Involvement of central serotonergic pathways in analgesia elicited by salmon calcitonin in the mouse (252) 291
Collis, M.G., see Poucher, S.M. (252) 19
Colombo, G., see Devoto, P. (252) 321
Conant, A.R., see Poucher, S.M. (252) 19
Constantine, J.W., Lebel, W.S., Woody, H.A., Benoit, P.A., Wolfgang, E.A. and Knight, D.R.
Cardiovascular effects of CP-96,345, a non-peptide blocker of tachykinin NK_1 receptors (252) 275
Crawford, C.A., Rowlett, J.K., McDougall, S.A. and Bardo, M.T.
Age-dependent differences in the rate of recovery of striatal dopamine D_1 and D_2 receptors after inactivation with EEDQ (252) 225
Cristòfol, R.M. and Rodríguez-Farré, E.
Hippocampal noradrenaline release is modulated by γ- and δ-hexachlorocyclohexane isomers: which mechanisms are involved? (252) 305
Curnow, R., see Dawson, G.R. (252) 325
Currò, D., see Montuschi, P. (252) 253
Cusson, J.R., see Lambert, C. (252) 245

Dailey, J.W., see Yan, Q.-S. (252) 105
Darlington, C., see Gilchrist, D. (252) R1
Dawson, G.R., Curnow, R., Bayley, P., Rambridge, A. and Tricklebank, M.D.
Lack of effect of flumazenil and CGS 8216 on the anxiolytic-like properties of loreclezole (252) 325
DeCosta, B., see Basile, A.S. (252) 139
Decrinis, M., see Stark, G. (252) 283
De la Lande, I.S., see Zhang, C.L. (252) 299
Denis-Pouxviel, C., see Devedjian, J.-C. (252) 43
Devedjian, J.-C., Esclapez, F., Denis-Pouxviel, C. and Paris, H.
Further characterization of human α_2-adrenoceptor subtypes: [^{3}H]RX821002 binding and definition of additional selective drugs (252) 43
Devoto, P., Colombo, G., Cappai, F. and Gessa, G.L.
Naloxone antagonizes ethanol- but not γ-hydroxybutyrate-induced sleep in mice (252) 321
De Vries, T.J., see Tjon, G.H.K. (252) 205
Dhein, S., see Stark, G. (252) 283
Donadini, F., see Bonanno, G. (252) 61
Dretchen, K.L., see Chen, K. (252) 155
Dretchen, K.L., see McManigle, J.E. (252) 11
Duckles, S.P., see Friedman, D.J. (252) 1

Dunn, P.M.
Dequalinium, a selective blocker of the slow afterhyperpolarization in rat sympathetic neurones in culture (252) 189

Encabo, A., see Ferrer, M. (252) 233
Esclapez, F., see Devedjian, J.-C. (252) 43

Fedele, E., see Bonanno, G. (252) 61
Fernández-López, A. and Pazos, A.
Identification of α_2-adrenoceptors in rat lymph nodes and spleen: an autoradiographic study (252) 333
Ferrer, M., Encabo, A., Marín, J. and Balfagón, G.
Chronic treatment with the anabolic steroid, nandrolone, inhibits vasodilator responses in rabbit aorta (252) 233
Fletcher, A., see Hartley, J.E. (252) 329
Fontana, G., see Bonanno, G. (252) 61
Fournier, A., see Battistini, B. (252) 341
Fozard, J.R. and Hannon, J.P.
BW-A522 blocks adenosine A_3 receptor-mediated hypotensive responses in the rat (252) R5
Friedman, D.J. and Duckles, S.P.
Influence of age on control of norepinephrine release: Ca^{2+} channels and dopamine D_2 receptors (252) 1
Fujioka, H., see Shimomura, A. (252) 81

Genedani, S., Bernardi, M. and Bertolini, A.
Influence of ifenprodil on the ACTH-induced behavioral syndrome in rats (252) 77
Gessa, G.L., see Devoto, P. (252) 321
Gilchrist, D., Darlington, C. and Smith, P.
Org 2766 prevents disruption of vestibular compensation by an NMDA receptor antagonist (252) R1
Gillis, R.A., see Chen, K. (252) 155
Gillis, R.A., see McManigle, J.E. (252) 11
Godfraind, T., see Morel, N. (252) R3
Goicoechea, C., see Colado, M.I. (252) 291
Green, P.G., Luo, J., Heller, P.H. and Levine, J.D.
Effect of E-type prostaglandins on bradykinin-induced plasma extravasation in the knee joint of the rat (252) 127

Haaseth, R.C., see Vanderah, T. (252) 133
Hannon, J.P., see Fozard, J.R. (252) R5
Hartley, J.E. and Fletcher, A.
The effects of WAY-100135 and 8-hydroxy-2-(di-*n*-propylamino)-tetralin on feeding in the rat (252) 329
Heller, P.H., see Green, P.G. (252) 127
Hernandez, Y.M., see Chen, K. (252) 155
Hertting, G., see Allgaier, C. (252) R7
Hirakawa, Y., Kuga, T., Kanaide, H. and Takeshita, A.
Actions of a new Ca^{2+} channel antagonist, CD832, on two types of Ca^{2+} channels in smooth muscle (252) 267
Hiramatsu, M., see Pechnick, R.N. (252) 35
Hogenboom, F., see Tjon, G.H.K. (252) 205
Hollenberg, M.D., see Shimomura, A. (252) 81
Horowitz, J.D., see Zhang, C.L. (252) 299
Hruby, V.J., see Vanderah, T. (252) 133

Ichiki, H., see Osada, S. (252) 347
Ikawa, K., Watanabe, A., Kaneno, S. and Toru, M.
Modulation of [^{3}H]mazindol binding sites in rat striatum by dopaminergic agents. European Journal of Pharmacology, 250 (1993) 261–266 (252) 123
Ishiguro, K., see Osada, S. (252) 347
Ito, M., see Shimomura, A. (252) 81
Itoh, H., see Shimomura, A. (252) 81

Jobe, P.C., see Yan, Q.-S. (252) 105

Kanaide, H., see Hirakawa, Y. (252) 267
Kaneno, S., see Ikawa, K. (252) 123
Kawikova, I., see Arakawa, H. (252) 313
Keana, J.F.W., see Lutfy, K. (252) 261
Kickenweiz, E., see Stark, G. (252) 283
Kikuchi de Beltrán, K., Koshikawa, N., Miwa, Y. and Kobayashi, M.
Dorsal striatal mechanisms involved in the dopamine D_2 receptor-mediated potentiation of apomorphine-induced jaw movements (252) 99
Klaus, W., see Stark, G. (252) 283
Knight, D.R., see Constantine, J.W. (252) 275
Ko, F.-N., see Yu, S.-M. (252) 29
Kobayashi, M., see Kikuchi de Beltrán, K. (252) 99
Kondo, H., see Temma, K. (252) 173
Konishi, T., see Shimomura, A. (252) 81
Koshikawa, N., see Kikuchi de Beltrán, K. (252) 99
Kuga, T., see Hirakawa, Y. (252) 267
Kunitomo, M., see Osada, S. (252) 347
Kuroume, T., see Mochizuki, H. (252) 183

Lambert, C., Ribuot, C., Robichaud, A. and Cusson, J.R.
Negative chronotropic effect of the atrial natriuretic peptide in an anaesthetized dog model (252) 245
Lebel, W.S., see Constantine, J.W. (252) 275
Levine, J.D., see Green, P.G. (252) 127
Löfdahl, C.-G., see Arakawa, H. (252) 313
Lopez, F., see Colado, M.I. (252) 291
Lötvall, J., see Arakawa, H. (252) 313
Ludbrook, J. and Ventura, S.
The decompensatory phase of acute hypovolaemia in rabbits involves a central δ_1-opioid receptor (252) 113
Luo, J., see Green, P.G. (252) 127
Lutfy, K., Woodward, R.M., Keana, J.F.W. and Weber, E.
Inhibition of clonic seizure-like excitatory effects induced by intrathecal morphine using two NMDA receptor antagonists: MK-801 and ACEA-1011 (252) 261

Marín, J., see Ferrer, M. (252) 233
Martin, M.I., see Colado, M.I. (252) 291
Martín, M.-L., see Morán, A. (252) 161
Matsunaga, T.O., see Vanderah, T. (252) 133
May, T., see Rommelspacher, H. (252) 51
McDougall, S.A., see Crawford, C.A. (252) 225
McManigle, J.E., Taveira DaSilva, A.M., Dretchen, K.L. and Gillis, R.A.
Potentiation of MK-801-induced breathing impairment by 2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(F)quinoxaline (252) 11
Mitchelson, F., see Shen, A. (252) 167
Miwa, Y., see Kikuchi de Beltrán, K. (252) 99
Mochizuki, H., Morikawa, A., Tokuyama, K., Kuroume, T. and Chao, A.C.
The effect of non-steroidal anti-inflammatory drugs on the electrical properties of cultured dog tracheal epithelial cells (252) 183
Montuschi, P., Tringali, G., Currò, D., Ciabattoni, G., Parente, L., Preziosi, P. and Navarra, P.
Evidence that interleukin-1β and tumor necrosis factor inhibit gastric fundus motility via the 5-lipoxygenase pathway (252) 253
Morán, A., Velasco, C., Martín, M.-L. and San Román, L.
Pharmacological characterization of 5-HT receptors in parasympathetic innervation of rat heart (252) 161
Morel, N. and Godfraind, T.
The endothelin ET_A receptor antagonist, BQ-123, normalizes the response of SHR aorta to Ca^{2+} channel activator (252) R3
Morikawa, A., see Mochizuki, H. (252) 183
Mosberg, H.I., see Vanderah, T. (252) 133
Mulder, A.H., see Tjon, G.H.K. (252) 205

Nagai, S., see Utsunomiya, I. (252) 213
Nakano, T., see Shimomura, A. (252) 81
Navarra, P., see Montuschi, P. (252) 253
Niki, Y., see Shimomura, A. (252) 81

Oh-ishi, S., see Utsunomiya, I. (252) 213
Oku, H., see Osada, S. (252) 347
Ormazabal, M.J., see Colado, M.I. (252) 291
Osada, S., Ichiki, H., Oku, H., Ishiguro, K., Kunitomo, M. and Semma, M.
Participation of nitric oxide in mouse anaphylactic hypotension (252) 347
Ozawa, S., see Temma, K. (252) 173

Paalzow, G.H.M.
Noradrenaline but not dopamine involved in NMDA receptor-mediated hyperalgesia induced by theophylline in awake rats (252) 87
Page, C.P., see Cirino, G. (252) 147
Parente, L., see Montuschi, P. (252) 253
Paris, H., see Devedjian, J.-C. (252) 43
Paul, I.A., see Basile, A.S. (252) 139
Pazos, A., see Fernández-López, A. (252) 333
Pechnick, R.N. and Hiramatsu, M.
The effects of MK-801 on body temperature and behavior in the rat: cross-sensitization and cross-tolerance with phencyclidine (252) 35
Pfaffendorf, M., see Zhang, J. (252) 337
Pleeth, R.M., see Poucher, S.M. (252) 19
Porreca, F., see Vanderah, T. (252) 133
Portoghese, P.S., see Vanderah, T. (252) 133
Poucher, S.M., Brooks, R., Pleeth, R.M., Conant, A.R. and Collis, M.G.
Myocardial infarction and purine transport inhibition in anaesthetised ferrets (252) 19
Preziosi, P., see Montuschi, P. (252) 253
Pullmann, F., see Allgaier, C. (252) R7

Raiteri, M., see Bonanno, G. (252) 61
Rambridge, A., see Dawson, G.R. (252) 325
Ribuot, C., see Lambert, C. (252) 245
Robichaud, A., see Lambert, C. (252) 245
Rodríguez-Farré, E., see Cristòfol, R.M. (252) 305
Rommelspacher, H., May, T. and Salewski, B.
Harman (1-methyl-β-carboline) is a natural inhibitor of monoamine oxidase type A in rats (252) 51
Ronken, E., see Tjon, G.H.K. (252) 205
Rowlett, J.K., see Crawford, C.A. (252) 225
Rüegg, J.C., see Strauss, J.D. (252) 219

Sakuta, H. and Yoneda, I.
Inhibition by SKF 525A and quinacrine of endogenous glibenclamide-sensitive K^+ channels in follicle-enclosed *Xenopus* oocytes (252) 117
Salewski, B., see Rommelspacher, H. (252) 51
San Román, L., see Morán, A. (252) 161
Schobert, A., see Allgaier, C. (252) R7
Schoffelmeer, A.N.M., see Tjon, G.H.K. (252) 205
Semma, M., see Osada, S. (252) 347
Shen, A. and Mitchelson, F.
Characterization of the muscarine receptor subtype on sympathetic nerve endings in the rat caudal artery (252) 167
Shimomura, A., Itoh, H., Niki, Y., Suga, T., Fujioka, H., Ito, M., Konishi, T., Hollenberg, M.D. and Nakano, T.
Contractile actions of endothelins in rat gastric body: evidence for receptor subtypes and involvement of prostaglandin E_2 (252) 81
Shoaib, M. and Spanagel, R.
Mesolimbic sites mediate the discriminative stimulus effects of morphine (252) 69
Skoogh, B.-E., see Arakawa, H. (252) 313
Smith, P., see Gilchrist, D. (252) R1
Sorrentino, L., see Cirino, G. (252) 147
Sorrentino, R., see Cirino, G. (252) 147
Spanagel, R., see Shoaib, M. (252) 69
Stafford, I., see Zhang, C.L. (252) 299
Stark, G., Dhein, S., Bachernegg, M., Ziskoven, U., Zhao, Y., Klaus, W., Kickenweiz, E., Decrinis, M. and Tritthart, H.A.
Frequency-dependent effects of propafenone decrease with duration of ventricular tachycardia in isolated guinea pig hearts (252) 283
Strauss, J.D., Bletz, C. and Rüegg, J.C.
The calcium sensitizer EMD 53998 antagonizes phosphate-induced increases in energy cost of isometric tension in cardiac skinned fibres (252) 219
Suga, T., see Shimomura, A. (252) 81
Sultana, M., see Vanderah, T. (252) 133
Sutter, M.C., see Abrahams, Z. (252) 195

Takemori, A.E., see Vanderah, T. (252) 133
Takeshita, A., see Hirakawa, Y. (252) 267
Taveira DaSilva, A.M., see McManigle, J.E. (252) 11
Temma, K., Akera, T., Akihito, C., Ozawa, S. and Kondo, H.
Cellular Ca^{2+} loading and inotropic effects of doxorubicin in atrial muscle preparations isolated from rat or guinea-pig hearts (252) 173
Teng, C.-M., see Yu, S.-M. (252) 29
Tjon, G.H.K., De Vries, T.J., Ronken, E., Hogenboom, F., Wardeh, G., Mulder, A.H. and Schoffelmeer, A.N.M.
Repeated and chronic morphine administration causes differential long-lasting changes in dopaminergic neurotransmission in rat striatum without changing its δ- and κ-opioid receptor regulation (252) 205
Tokuyama, K., see Mochizuki, H. (252) 183
Toru, M., see Ikawa, K. (252) 123
Tricklebank, M.D., see Dawson, G.R. (252) 325
Tringali, G., see Montuschi, P. (252) 253
Tritthart, H.A., see Stark, G. (252) 283

Utsunomiya, I., Nagai, S. and Oh-ishi, S.
Differential effects of indomethacin and dexamethasone on cytokine production in carrageenin-induced rat pleurisy (252) 213

Vallebuona, F., see Bonanno, G. (252) 61
Vanderah, T., Takemori, A.E., Sultana, M., Portoghese, P.S., Mosberg, H.I., Hruby, V.J., Haaseth, R.C., Matsunaga, T.O. and Porreca, F.
Interaction of [D-Pen^2,D-Pen^5]enkephalin and [D-Ala^2,Glu^4]-deltorphin with δ-opioid receptor subtypes in vivo (252) 133
Vane, J.R., see Battistini, B. (252) 341
Van Zwieten, P.A., see Zhang, J. (252) 337
Velasco, C., see Morán, A. (252) 161
Ventura, S., see Ludbrook, J. (252) 113
Von Kügelgen, I., see Allgaier, C. (252) R7

Wardeh, G., see Tjon, G.H.K. (252) 205
Warner, T.D., see Battistini, B. (252) 341
Watanabe, A., see Ikawa, K. (252) 123
Weber, E., see Lutfy, K. (252) 261
Wolfgang, E.A., see Constantine, J.W. (252) 275
Woodward, R.M., see Lutfy, K. (252) 261
Woody, H.A., see Constantine, J.W. (252) 275

Yan, Q.-S., Jobe, P.C. and Dailey, J.W.
Evidence that a serotonergic mechanism is involved in the anticonvulsant effect of fluoxetine in genetically epilepsy-prone rats (252) 105
Yoneda, I., see Sakuta, H. (252) 117
Yu, S.-M., Ko, F.-N., Chueh, S.-C., Chen, J., Chen, S.-C., Chen, C.-C. and Teng, C.-M.
Effects of dicentrine, a novel α_1-adrenoceptor antagonist, on human hyperplastic prostates (252) 29
Zhang, C.L., De la Lande, I.S., Stafford, I. and Horowitz, J.D.
S-Nitrosothiol modulation of tolerance to glyceryl trinitrate in bovine isolated coronary artery (252) 299
Zhang, J., Pfaffendorf, M., Zhang, J.S. and Van Zwieten, P.A.
A non-competitive type of angiotensin-receptor antagonism by losartan in renal artery preparations (252) 337
Zhang, J.S., see Zhang, J. (252) 337
Zhao, Y., see Stark, G. (252) 283
Ziskoven, U., see Stark, G. (252) 283